



LX Hausys

EQ

Education, Gymnasium, Yoga, Library, Preschool, Office



Sheet





LX Hausys
floors


EQ



EQF 8314



EQF 8577




EQF 9511



EQF 9512

Structure



Applications



Feature



Shock and noise absorption
Cushion layer minimizes shock damage and surface noise





Strong resistance to scratch
Not easily worn out against heavy traffic



Low maintenance cost and anti-bacterial
Superior resistance to outer contaminants and bacteria

Technical data

Characteristic	Standard	Unit	Result
Surface Treatment			PUR (Anti-bacterial)
Format			Sheet
Roll length		m	13
Width	EN ISO 24344(EN 426)	mm	1,830
Thickness	EN ISO 24346(EN 428)	mm	6.0
Thickness of wear layer	EN ISO 24340(EN 429)	mm	1.0
Weight	EN ISO 23997(EN 430)	g/m ²	4,400
Residual Indentation	EN ISO 24343-1(EN 433)	mm	< 0.25
Dimensional Stability	EN ISO 23999(EN 434)	mm	Fulfilled
Suitable for underfloor heating			yes
Effect of furniture leg	EN 424		Fulfilled
Chemical Resistance	EN ISO 26987(EN 423)		Good resistance
Sound absorption	EN ISO 140-8	fb'	24
Reaction to Fire	EN13501-1		Cfl-S1



Our Popular Products :

Palace

Residential, Office

Bright

Residential, Office, Retail

Supreme

Office zone, Retail, Multipurpose

ABC

Shop, Hospital, School Etc.

Leisure

Gymnasium, Sports Center, Education

Origin

Healthcare, Education, Retail

All Road

Healthcare, Education, Retail

Decotile

Office, Retail, Hospitality

Unite

Healthcare, Education, Retail